Neurobiology

Volume Contents

Vol. 61, No. 1, October 2004

Special Issue MECHANISMS OF NOCICEPTION: MOLECULES TO BEHAVIOR

Introduction to the Journal of Neurobiology Special Issue on Nociception / 1 Ardem Patapoutian and John N. Wood

Thermosensation and Pain / 3
Makoto Tominaga and Michael J. Caterina

Temperature Perception and Nociception / 13 *Barry G. Green*

Mechanosensation and Pain / 30
Gary R. Lewin and Rabih Moshourab

Understanding the Signaling and Transmission of Visceral Nociceptive Events / 45
Fernando Cervero and Jennifer M.A. Laird

Voltage-Gated Sodium Channels and Pain Pathways / 55 John N. Wood, James P. Boorman, Kenji Okuse, and Mark D. Baker

Plasticity of Pain Signaling: Role of Neurotrophic Factors Exemplified by Acid-Induced Pain / 72
Stephen B. McMahon and Nicholas G. Jones

Posttranslational Mechanisms of Peripheral Sensitization / 88 Gautam Bhave and Robert W. Gereau IV

Functional Imaging of the Human Trigeminal System: Opportunities for New Insights into Pain Processing in Health and Disease / 107

David Borsook, Rami Burstein, and Lino Becerra

Antinociceptive and Nociceptive Actions of Opioids / 126
Michael H. Ossipov, Josephine Lai, Tamara King, Todd W. Vanderah,
T. Philip Malan, Jr., Victor J. Hruby, and Frank Porreca

The Endogenous Cannabinoid System and Its Role in Nociceptive Behavior / 149
Benjamin F. Cravatt and Aron H. Lichtman

Invertebrate Nociception: Behaviors, Neurons and Molecules / 161
David M. Tobin and Cornelia I. Bargmann

Cover: Nociceptive neurons and their axons extending towards the spinal cora are marked by blue staining. The image is of a mouse embryo that expresses the tau-lacZ marker instead of the TrkA gene. TrkA is the receptor for nerve growth factor and plays an essential role in the development and function of nociceptive neurons. Photo by Ardem Patapoutian.

Vol. 61, No. 2, November 2004

Target Tissue Influences the Peripheral Trajectory of Mouse Primary Sensory Olfactory Axons / 175

Melonie J. Storan and Brian Key Published online 6 July 2004

GABAergic Modulation of Motor-Driven Behaviors in Juvenile *Drosophila* and Evidence for a Nonbehavioral Role for GABA Transport / 189

Sandra M. Leal, Nitin Kumar, and Wendi S. Neckameyer Published online 6 July 2004

Selective Estrogen Receptor Modulators Protect Hippocampal Neurons from Kainic Acid Excitotoxicity: Differences with the Effect of Estradiol / 209

Iratxe Ciriza, Paloma Carrero, Iñigo Azcoitia, Scott G. Lundeen, and Luis M. Garcia-Segura

Published online 6 July 2004

GAP-43 mRNA in Growth Cones Is Associated with HuD and Ribosomes / 222

Catherine L. Smith, Rownak Afroz, Gary J. Bassell, Henry M. Furneaux,

Nora I. Perrone-Bizzozero, and Richard W. Burry Published online 15 July 2004

Development of the Mouse Retina: Emerging Morphological Diversity of the Ganglion Cells $/\ 236$

Ling Diao, Wenzhi Sun, Qiudong Deng, and Shigang He Published online 15 July 2004

Critical Signaling Events during the Aminoglycoside-Induced Death of Sensory Hair Cells In Vitro / 250

Jonathan I. Matsui, Jonathan E. Gale, and Mark E. Warchol Published online 28 July 2004

Protective Mechanisms of Pycnogenol $^{\tiny{\textcircled{\tiny 0}}}$ in Ethanol-Insulted Cerebellar Granule Cells / 267

Kendra I. Siler-Marsiglio, Michael Paiva, Irina Madorsky, Yahaira Serrano, Andy Neeley, and Marieta B. Heaton Published online 2 September 2004

Calcium Signal-Dependent Plasticity of Neuronal Excitability Developed Postnatally / 277

Mei Zhang, Fen S. Hung, Yan Zhu, Zuoping Xie, and Jin-Hui Wang Published online 20 September 2004

Cover: Growth cone showing GAP-43 mRNA (red) and HuD RNA binding protein (green) with colocalization (yellow), which is consistent with an association of these elements. The axon is located at the bottom and filopodia are located at the top of the micrograph. From the article by Smith et al., on page 222.

Vol. 61, No. 3, December 2004

Agrin Signaling in Cortical Neurons Is Mediated by a Tyrosine Kinase-Dependent Increase in Intracellular Ca²⁺ That Engages Both CaMKII and MAPK Signal Pathways / 289

Lutz G.W. Hilgenberg and Martin A. Smith Published online 28 July 2004

Brief Alteration in Dopaminergic Function during Development Causes Deficits in Adult Reproductive Behavior / 301

Cheryl F. Harding
Published online 2 August 2004

Calcium-Induced Calcium Release Contributes to Somatic Secretion of Serotonin in Leech Retzius Neurons / 309

Citlali Trueta, Sergio Sánchez-Armass, Miguel A. Morales, and Francisco F. De-Miguel
Published online 2 August 2004

Partial Muting Leads to Age-Dependent Modification of Motor Patterns Underlying Crystallized Zebra Finch Song / 317

Brenton G. Cooper and Franz Goller Published online 2 August 2004

Two Antagonistic Gustatory Receptor Neurons Responding to Sweet-Salty and Bitter Taste in *Drosophila / 333*

Makoto Hiroi, Nicolas Meunier, Frédéric Marion-Poll, and Teiichi Tanimura Published online 2 August 2004

Specific Functions of Drosophila Amyloid Precursor-Like Protein in the Development of Nervous System and Nonneural Tissues / 343

Yan Li, Tong Liu, Yueqing Peng, Chunyan Yuan, and Aike Guo Published online 6 August 2004

Cellular and Molecular Characterization of Early and Late Retinal Stem Cells/ Progenitors: Differential Regulation of Proliferation and Context Dependent Role of Notch Signaling / 359

Jackson James, Ani V. Das, Jörg Rahnenführer, and Iqbal Ahmad Published online 27 September 2004 Serine Proteases in the Spiny Lobster Olfactory Organ: Their Functional Expression along a Developmental Axis, and the Contribution of a CUB-Serine Protease / 377

Malcolm E. Johns, Phang C. Tai, and Charles D. Derby Published online 3 August 2004

Population Density Regulates Drosophila Synaptic Morphology in a Fasciclin-II-Dependent Manner / 392

Bryan A. Stewart and Jesse R. McLean Published online 15 October 2004

Author Index to Volume 61 / 403

Subject Index to Volume 61 / 405

Volume Contents / I

Cover: A false-color immunofluorescent image of a *Drosophila* neuromuscular junction labeled with an antibody that recognizes the cell adhesion molecule Fasciclin II. This image was obtained from a larva grown at high population density. The red color indicates high levels of Fasciclin II present at the neuromuscular junction, in part explaining why larvae grown at high density have less elaborate nerve terminals than those grown at low density. See the article by Stewart and McLean on page 392.

